



## JIS アダプタ

	<p>詳細はお問い合わせ下さい 1-800-Belden1</p> <p>出荷単位および カラーをご参照ください</p> 
---	--

### 製品説明:

JISアダプター（白または黒） 標準JISプレートに対応 キーストーン形状のカテゴリジャックに対応

### 構造:

ジャックハウジング	ABS
寸法	下記の製品図面をご参照ください

### 環境特性:


温度範囲	- 10℃ から + 60℃
適合規格	
EU RoHS 準拠	対応
適応性	
適応 - 屋内	はい

### 燃焼試験



燃焼試験規格	UL94HB
--------	--------

JISアダプタ

製品図:



BELDEN-JIS-\*



BELDEN-JIS-BLANK-\*

製品寸法はmm表記

## JISアダプタ

## 出荷単位およびカラー

製品	説明	梱包単位 (個)	色
BELDEN-JIS-W	シャッター付きJISアダプタ (白)	100	白
BELDEN-JIS-BLANK-W	JISアダプタブランクタイプ (白)	100	白
BELDEN-JIS-BK	シャッター付きJISアダプタ (黒)	100	黒
BELDEN-JIS-BLANK-BK	JISアダプタブランクタイプ (黒)	100	黒

\* 透明なプラスチックバックに個別包装されています

改定番号: 2

改定日: 29/10/2025

©Copyright 2025 Belden, Inc  
All Rights Reserved.

Although Belden ("Belden") makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.